

Like all prescription eyewear, safety glasses are customised to individual requirements. The Shamir lens range provides versatility to ensure the correct lens for the right purpose.

The wearer's prescription and working environment ultimately determines the correct lens choice as advised in conjunction with the Optometrist.

SHAMIR DIGITAL FREE-FORM

Better vision right to the edge in EYRES wrapped eyewear

Exclusive lens technology designed to provide the wearer with distortion free lenses when fitted into a wrapped frame. Other companies may use conventional manufactured lenses that can create distortions on the edge of the lens, which causes a significant reduction and narrowing to the wearer's vision field.

Shamir Digital Free-form lenses provide accurate clear vision across the entire surface of the lens; meaning there is no compromise in vision no matter the visual task.

LENSES OFFERING OPTIMUM PERFORMANCE CHARACTERISTICS FOR WHATEVER LIFE BRINGS

SHAMIR SAFETY CLEAR LENS

Clear

Category: 0
Light transmittance: 98%



Shamir Safety Clear Lens is a unique impact resistant, scientifically advanced category of lens material developed to perform in all aspects of life, specifically in high impact or chemical environments.

SHAMIR SAFETY NEUTRAL LENS

Grey

Category: 3
Light transmittance: 15%



Shamir Safety Neutral Lens protects from strong sunlight, providing natural vision for extended wear. Neutral is an extremely versatile sun lens for any occasion.

SHAMIR SAFETY POLARISED GREY LENS

Grey

Category: 3
Light transmittance: 14%



Shamir Safety Polarised Lens is designed to provide protection against reflective glare. The polarised grey tint allows for colour to be viewed naturally, whilst reducing glare and strong light.

SHAMIR SAFETY NATURAL LENS

Light Grey to Blue Grey

Category: 1-3
Light transmittance: 75-15%



Shamir Safety Natural Lens has photochromic lens adjust colour and tint as light conditions change, performs well for a broad range of activities from low light to overcast conditions.

SHAMIR SAFETY EVERYWEAR LENS

Ultra Light Brown to Grey

Category: 0-3
Light transmittance: 75-33%



Shamir Safety Everywear Lens features a wide visual light transmission range and fast photochromic reaction time (sub 1 minute). Recommended for indoor and outdoor use, Everywear may be worn continuously throughout the day without causing eyestrain.

SHAMIR SAFETY TRANSITIONS® LENS

Clear to Grey

Category: 0-3
Light transmittance: 98-15%



Shamir Safety Transitions® Lens provides the complete package of optical quality, light-weight comfort, strength and protection. Transitions® features fast transmission reaction times for everyday living.

Powered by

SHAMIR

NEW COMBINATION OF EXPERTISE

Unsurpassed combination of the most advanced technology in lens design from **SHAMIR**, with tough, durable and stylish frames from **EYRES**, to bring the perfect solution in prescription eye protection.

MAXIMUM EYE PROTECTION

EYRES offer an extensive range of optical eyewear to protect your eyes and optimise your vision, using the latest technology in frame and lens certified packages for the most demanding situations, ensuring optimum comfort fit and vision.



123 BANG BANG



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-------------|---------------|------------|-----|
| 123RX-M8-DL | Metallic Grey | 60/37 | 19 |

Ratchet side for optical adjustment.

170 OPTIX



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-----------|---------------|------------|-----|
| 170-MT-DL | Metallic Grey | 63/37 | 16 |

Stainless steel material.

172 OPTIX



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-------------|-----------------|------------|-----|
| 172-MT-DL52 | Metallic Copper | 52/35 | 19 |
| 172-MT-DL54 | Metallic Copper | 54/35 | 19 |
| 172-MT-DL56 | Metallic Copper | 56/35 | 19 |

Stainless steel material.

181 OPTIX



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-------------|-----------------|------------|-----|
| 181-MT-DL52 | Metallic Silver | 52/35 | 19 |
| 181-MT-DL54 | Metallic Silver | 54/35 | 19 |

Stainless steel material.

308 FOREMAN



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-----------|---------------|------------|-----|
| 308-CS-DL | Crystal Smoke | 62/35 | 20 |
| 308-S1-DL | Shiny Black | 62/35 | 20 |

Interchangeable tinted and untinted shields sold separately.

318 GLOBAL



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-----------|---------------|------------|-----|
| 318-CZ-DL | Crystal Zebra | 54/37 | 20 |
| 318-C7-DL | Tortoiseshell | 54/37 | 20 |

Shell front, metal temples.

319 OZ



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-----------|---------------|------------|-----|
| 319-C7-DL | Tortoiseshell | 56/36 | 19 |
| 319-CZ-DL | Crystal Zebra | 56/36 | 19 |

Shell front, metal temples.

320 CLEARVIEW



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-----------|--------------|------------|-----|
| 320-CL-DL | Clear | 55/35 | 17 |

No metal parts, plastic hinges.

605 BLOCKBUSTA



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|------------|---------------|------------|-----|
| 605M-CS-DL | Crystal Smoke | 54/34 | 15 |
| 605L-CS-DL | Crystal Smoke | 58/37 | 16 |

Interchangeable strap included.

624 PLASMA EVO 2



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-----------|--------------|------------|-----|
| 624-D1-DL | Demi Black | 63/37 | 14 |

Shorter arms for better fit in head wear or ear muffs.

628RX INDULGE



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|--------------|---------------------|------------|-----|
| 628RX-S1-DL | Shiny Black | 58/36 | 15 |
| 628RX-SMG-DL | Shiny Metallic Grey | 58/36 | 15 |

702RX RAZOR EVO 2



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-------------|---------------|------------|-----|
| 702RX-C1-DL | Crystal Black | 63/36 | 18 |

702RXWF RAZOR EDGE



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|----------------|--------------------|------------|-----|
| 702RXWF-CD1-DL | Shiny Black w/foam | 63/36 | 18 |

Permanent closed padded seal foam to block sweat and hazardous particles.

703A YARR



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|------------|---------------|------------|-----|
| 703A-C1-DL | Crystal Black | 75/41.5 | 15 |

Limited prescription range, single vision only.

708 RAZOR RX



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-----------|------------------|------------|-----|
| 708-C8-DL | Crystal Charcoal | 60/37 | 15 |
| 708-CS-DL | Crystal Smoke | 60/37 | 15 |

Interchangeable tinted and untinted shields sold separately.

803RX TRANSFORMER



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-------------|---------------|------------|-----|
| 803RX-GM-DL | Gun Metal | 59/34 | 19 |
| 803RX-C1-DL | Crystal Black | 59/34 | 19 |

Detachable face foam and interchangeable strap available to create low profile goggle.

950RX GULLWING



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|--------------------|--------------|------------|-----|
| 950RX-M1-6B | Matt Black | 56/36 | 20 |
| 950RX-M1-8B | Matt Black | 58/36 | 20 |
| 950RX-M1-RIMMELESS | Matt Black | 75/36 | 15 |

953RX STILETTO ALIENSKIN



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|-----------|-------------------|------------|-----|
| 953-S1-DL | Shiny Black/White | 58/45 | 16 |

Double injection frames developed with sport lovers and workforce in mind.

Medium Impact Certified to AS/NZS1337.6 impact tested at a speed up to 45 metres per second (163km/h). **CAUTION:** Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.

DUST PROTECTION RX INSERT

130 COCKBURN




| CODE | FRAME COLOUR | FRAME MATERIAL |
|----------------|--------------|----------------|
| 130I-WF-DBCL | Matt Black | Polycarbonate |
| 130RX-INSERT** | Black | Polycarbonate |

Interchangeable lens shields sold separately.

**RX INSERT FRAME SIZE: 60/40 DBL: 19

310 ODDIE



| CODE | FRAME COLOUR | FRAME MATERIAL |
|----------------|---------------|----------------|
| 310-M1-CLAF | Matt Black | Polycarbonate |
| 310-M1-GY | Matt Black | Polycarbonate |
| 310-M1-WB50FS | Matt Black | Polycarbonate |
| 310-RXINSERT** | Crystal Clear | Polycarbonate |

Protective foam included. Optional arms available for standard fitting.

**RX INSERT FRAME SIZE: 44/32 DBL: 27

709 EYEQASR



| CODE | FRAME COLOUR | FRAME MATERIAL |
|----------------|---------------|----------------|
| 709F-WF-DBCL | Grey/Red | Polycarbonate |
| 709-NF-CLAF | Grey/Black | Polycarbonate |
| 709-RXINSERT** | Crystal Clear | Polycarbonate |

Interchangeable lens shields sold separately.

**RX INSERT FRAME SIZE: 46/33 DBL: 32

Medium Impact Certified to AS/NZS 1337.1 are designed to protect the wearer from flying fragments travelling at a speed of at least 45 metres per second (163km/h). Developed to be worn in all workplaces and sport activities that can generate foreign bodies travelling at high speed, especially on-the-job where are plenty of potential risk.

CAUTION: Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.

FLOATING RX

717S MISTRAL



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|--------------|---------------|------------|-----|
| 717SRX-C1-DL | Crystal Black | 64/38 | 19 |

727S TITANIC



| CODE | FRAME COLOUR | FRAME SIZE | DBL |
|--------------|------------------------|------------|-----|
| 727RX-C7-DL | Crystal Tortoise Shell | 61/37.5 | 19 |
| 727RX-SPW-DL | Shiny Pearl White | 61/37.5 | 19 |
| 727RX-SP1-DL | Shiny Pearl Black | 61/37.5 | 19 |

These water and impact resistant have been impact tested to protect you from flying fragments travelling at a speed of at least 12 metres per second (45km/h). EYRES eye protectors block 99.9% of UV and glare.

CAUTION: Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.

