



**EURES**

YOUR  
COMPLETE  
**SAFETY**  
**EYEWEAR**  
SOLUTION

DESIGN AND QUALITY ASSURED IN AUSTRALIA BY

**SHAMIR**

# EYRES, YOUR COMPLETE SAFETY EYEWEAR SOLUTION

## AN EXCITING COMBINATION OF EXPERTISE

In July 2015, Shamir Optical Industry Ltd. welcomed the EYRES brand to its family.

From this unique synergy, SHAMIR began to pursue a new path, utilising EYRES 25 years' expertise in engineering and developing fashion - forward safety eyewear.

Combined with its own unsurpassed lens designs, the perfect solution has been created for excellence in eyewear.

## SMART

Eyewear that people want to wear. Modern and fashionable wrap style frames, combined with the latest in cutting-edge lens technology.

## STRONG

Designed for Australian conditions, EYRES offers stylish, comfort fitting, strong and durable eye protectors.

## SAFE

A state-of-the-art, certified laboratory along with in-house batch-testing program providing extra reassurance to the wearer.



## WHAT DOES EYRES HAVE TO OFFER?

EYRES range has been crafted to offer superior safety protection for your eyes without sacrificing aesthetics. Through the use of the latest technology EYRES have combined key design features of ballistic, safety, sport and fashion eyewear to create truly unique optics.

In industry, different hardware is applied depending on the task. Similarly, eyewear must be tailored to suit the individual and their occupation. The key characteristics of a quality safety frame are optimum vision, ultimate protection, comfort and fit. EYRES has merged all of these elements and adapted them to meet the needs of the individual wearer.

### DEDICATION TO RESEARCH AND DEVELOPMENT

Our R&D team is dedicated to the continual expansion of products and services, ensuring that EYRES is at the forefront of frame and lens technology.

EYRES uses independent testing through NATA laboratories to ensure all products not only pass but exceed Australian and international standards. This means EYRES can conceive and deliver superior fit-for-purpose eye protection and sunglasses with guaranteed quality.

Our products are developed in Australia in collaboration with the University of New South Wales

and SAI Global, they are at the forefront of the next generation of compliant and certified eyewear, whilst continuing to provide excellent protection for the wearer.

### INDEPENDENT CERTIFICATION & QUALITY MANAGEMENT SYSTEM

In-house capabilities and an external strategic alliance with SAI Global ensure quality traceable products are produced, with the backing of an Australian supplier.

A state-of-the-art testing laboratory ensure products are tested per ISO9000 requirements and maintains the highest level of quality assurance in every batch.

EYRES' QMS batch testing occurs before any products are approved and released to customers. This shows a commitment to total quality control and ongoing, fully traceable in-house batch testing.

The range has been meticulously created for improved protection, productivity and performance in the workplace, yet is stylish for everyday use. While safety is the focus, many wearers of Eyres are outdoor enthusiasts, making Eyres eye protectors perfectly placed for the transition between work and leisure.



Certified Product



## Australian Standard

AS/NZS1337.1  
Lic. 20251

AS/NZS1337.6  
Lic. 21598

AS/NZS1337.2  
Lic. 40470

AS/NZS1067  
Lic. 25364

RREP:2014  
Lic. PPE40002

SAI GLOBAL

## LICENCES

SHAMIR OHS HOLDS FIVE DIFFERENT LICENCES CERTIFIED  
TO AUSTRALIAN STANDARDS BY SAI GLOBAL

### AS/NZS 1337

Licence SMKH20251 - Eye and Face Protectors for Occupational Applications

Licence SMKH21598 - Prescription Eye Protectors against Low and Medium Impact

Licence SMK40470 - Mesh Eye and Face Protectors for Occupational Applications

### RREP

Licence PPE40002 - Bifocal Ready Made Eye Protectors

### AS/NZS 1067

Licence SMKH25364 - Sunglasses and Fashion Spectacle

# DOES YOUR SAFETY EYEWEAR CARRY THE REQUIRED MARKINGS?

## Frame and Lens Markings for Australian Safety Eyewear

All certified safety eyewear in Australia requires certain frame and lens markings to show the spectacle conforms to AS/NZS 1337.1 or 1337.6 standards. This information helps guarantee the eyewear’s quality.

## Frame and Lens Markings for Australian Safety Eyewear

- F or I:** Indicates Medium Impact approved
- 0:** Medium Impact outdoor untinted (appears on all clear and amber lenses)
- F Cat.3:** Medium Impact High sun glare protection, good UV protection
- 3 or 5:** Number ‘3’ or ‘5’ (infrared welding lens) signifies the lens shading as per AS/NZS.

## Lens Markings


Identification of manufacturer

Symbol for mechanical strength (optional)

Outdoor untinted

Shade Numbers (infrared welding only)


Symbol for polarised (optional)



## Lens Categories

Ocular Lens Marking (Printed on lens)	Range of Luminous Transmittance	Lens Tint Category
<b>IO/</b> Outdoor untinted	80-100%	<b>Outdoor Untinted (0):</b> Very low light reduction and protection
<b>0</b>	93-98%	<b>Cat. 0:</b> No light reduction - untinted
<b>1</b>	43-80%	<b>Cat. 1:</b> Limited light reduction, some UV and glare protection
<b>2</b>	18-43%	<b>Cat. 2:</b> Medium sun glare reduction, good UV protection
<b>3</b>	8-18%	<b>Cat. 3:</b> High sun glare protection, 99.9% UV protection

## Frame Markings




No License Number = **NO CERTIFICATION!**  
Medium impact safety eyewear has the Australian independent quality assurance licence number printed on the right inside arm = **NO NUMBER - NO CERTIFICATION!**





# Features and Benefits


**EYRES** safety eyewear has such an extensive range of features, for ease of use, our frames and lenses are denoted by the use of the icons below to identify which features each frame and lens exhibits.

DESIGN TECHNOLOGY


  
Plano


  
Prescription


  
Medium Impact


  
Low Impact


FRAME TECHNOLOGY


  
Anti-Slip Pads


  
Adjustable Nose Pads


  
Wraparound View


  
Adjustable Temples


  
Interchangeable Lens System


  
Interchangeable Arms


  
Semi-rimless


  
Thermo-rubber Technology


  
Floating Components


  
Magnifying Readers


  
Low-profile Goggle


  
Dust Guard System


  
Air-flow System


  
Positive Seal


  
Thermo-rubber Technology

  
Abrasion Resistant


  
Bio-thermoplastic made with plants


  
No Metal Parts


  
Fire Resistant


  
Over Spectacle


LENS TECHNOLOGY


  
Hard Coat


  
Anti-Fog


  
Water Repellent


  
Oleophobic


  
Smudge Resistant


  
Photochromic

  
Polarised Glare Protection

  
Anti-Reflective Technology

  
99.9% UV Protection

  
Welding Infrared Lens

  
Thermal Lens

5



Smart. Strong. Safe.



**SHAMIR OHS**  
Quality Management System





WHERE SAFETY MEETS FASHION

Owned by

**SHAMIR**



# WHERE SAFETY MEETS FASHION

Precision is everything whilst being able to focus on each task, in any working environment. Getting the job done in a safe and efficient manner is paramount.

EYRES safety eyewear offer a unique combination of superior strength and flexibility. The technology that supports our cutting edge, stylish designs allows us to provide an advanced range of eye protection which assures optical integrity without compromising peripheral performance.

**Look great and protect your eyes with EYRES.**

## LOW IMPACT EYE PROTECTION

Consider upgrading your non-safety sunglasses to **EYRES Low Impact Eyewear**, this range is ideal for the fashion-conscious wearer in light industrial applications.

### 608 B'HAVE



CODE	FRAME	LENS
608-S1-GY	Shiny Black	Grey

### 611 ALLURE



CODE	FRAME	LENS
611-S1-GY	Shiny Black	Grey
611-BR-BR	Brown Stripe	Brown
611-SG-FS	Shiny Grey	Grey Flash Silver

### 614 XCESS



CODE	FRAME	LENS
614-S1-GY	Shiny Black	Grey
614-S1-PG	Shiny Black	Polarised Grey

### 617 4EVER



CODE	FRAME	LENS
617-S1-GY	Shiny Black w/Silver	Grey
617-S1G-GY	Shiny Black w/Green	Grey
617-S1-PG	Shiny Black w/Silver	Polarised Grey

## THEY FLOAT!

### 717 MISTRAL



CODE	FRAME	LENS
717-C1-PGW	Crystal Black	Polarised Grey Water Resistant
717-PW-PGWBM	Pearl White	Polarised Revo Blue Mirror Water Resistant
717-P1-PGWM	Pearl Black	Polarised Grey Revo Black Mirror Water Resistant

### 727 TITANIC



Titanic floats with prescription lenses

CODE	FRAME	LENS
727-PW-PGWBM	Pearl White	Polarised Revo Blue Mirror Water Resistant
727-P1-PGW	Pearl Black	Polarised Grey Water Resistant
727-C7-PBFSW	Crystal Tortoise Shell	Polarised Brown Flash Silver Water Resistant

### 737 WAKE



CODE	FRAME	LENS
737-R4-PGW	Royal Blue	Polarised Grey Water Resistant

These versatile designs have been impact tested to protect the eyes from flying fragments travelling at a speed of at least 12 metres per second (45km/h). EYRES eye protectors block 99.9% of UV and glare.

**CAUTION:** Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.



**SHAMIR OHS**  
Quality Management System





## MEDIUM IMPACT EYE PROTECTION

Look for **Medium Impact Safety Eyewear** if you are working in heavy industries or regularly exposed to extreme sunlight conditions. Engineered to be worn in an industrial, mining, construction trades or sport environment for long hours in extreme sunlight conditions.

### 412 YAGAN



CODE	FRAME	LENS
412-M1-GY	Matt Black	Grey
412-M1-CL	Matt Black	Clear
412-M1-IO	Matt Black	Light Brown Flash Silver
412-M1-PG	Matt Black	Polarised Grey

### 620 THUNDER



CODE	FRAME	LENS
620-S1-PG	Shiny Black	Polarised Grey
620-CL-BR	Crystal Leopard	Brown
620-S1W-BR	Shiny Black/White	Brown
620-CZ-FS	Crystal Zebra	Grey Flash Silver
620-S1-GY	Shiny Black	Grey
620-CL-PBFS	Crystal Leopard	Polarised Brown Flash Silver

### 621 DAREDEVIL



CODE	FRAME	LENS
621-SB-BRFG	Sapphire Black	Brown Flash Gold
621-SB-FS	Sapphire Black	Grey Flash Silver
621-SB-RV	Sapphire Black	Revo Black Mirror
621-SB-PG	Sapphire Black	Polarised Grey
621-SB-PBFS	Sapphire Black	Polarised Brown Flash Silver

### 622 HOTROD



CODE	FRAME	LENS
622-SB-FS	Sapphire Black	Grey Flash Silver
622-MP-BR	Metallic Pearl	Brown
622-SB-PG	Sapphire Black	Polarised Grey
622-SB-PBFS	Sapphire Black	Polarised Brown Flash Silver

### 628 INDULGE



CODE	FRAME	LENS
628-S1-GY	Shiny Black	Grey
628-SMG-GY2GY	Metallic Grey	Light Grey to Blue Grey ETS*
628-SMG-PG	Metallic Grey	Polarised Grey

\*ETS - (Extreme Temperature Sensitive): the photochromic lenses respond to light conditions regardless of the ambient temperature.

### 630 ZERO+



CODE	FRAME	LENS
630-C1S-FS	Crystal Black Snake Skin	Grey Flash Silver
630-CW1-BR	Crystal White w/Black	Brown
630-C1S-PGFS	Crystal Black Snake Skin	Polarised Grey Flash Silver

### 631 SPACE



CODE	FRAME	LENS
631-C1S-FS	Crystal Black Snake Skin	Grey Flash Silver
631-CW1-BR	Crystal White w/Black	Brown
631-C1S-PGFS	Crystal Black Snake Skin	Polarised Grey Flash Silver

## 702 RAZOR



CODE	FRAME	LENS
702-C8-PGBAR	Crystal Charcoal	Polarised Grey Blue Anti-Reflective
702-C8-GY	Crystal Charcoal	Grey
702-L9-FS	Light Bronze	Grey Flash Silver
702-R4-FS	Royal Blue	Grey Flash Silver
702-C3-FS	Crystal Burgundy	Grey Flash Silver
702-CS-CL	Crystal Smoke	Clear
702-M8-GY2GY	Metallic Charcoal	Light Grey to Blue Grey

## 702WF RAZOR EDGE



CODE	FRAME	LENS
702WF-C1-GYAF	Crystal Black w/foam	Grey Anti-Fog
702WF-C1-PGAF	Crystal Black w/foam	Polarised Grey Anti-Fog
702WF-C1-IOAF	Crystal Black w/foam	Light Brown Anti-Fog
702WF-R4-CLAF	Royal Blue w/foam	Clear Anti-Fog

## 703A YARR I



CODE	FRAME	LENS
703A-C1-PG	Crystal Black	Polarised Grey
703A-BG-FS	Black/Grey	Grey Flash Silver
703A-BR-GY	Red/Black	Grey
703A-C1-CL	Crystal Black	Clear

## 706 CHILLI



CODE	FRAME	LENS
706-S1-GY	Shiny Black	Grey
706-S1-PG	Shiny Black	Polarised Grey

## 711 MICRO



CODE	FRAME	LENS
711-S1-FS	Shiny Black	Grey Flash Silver
711-S1-PG	Shiny Black	Polarised Grey Flash Silver

## 956 MOTION



CODE	FRAME	LENS
956-M1-FS	Matt Black	Grey Flash Silver
956-MG-PGFS	Matt Grey/Silver/Yellow	Polarised Grey Flash Silver

# ALIENSKIN



## 952 ALLBLACK



CODE	FRAME	LENS
952-SMG-PG	Metallic Grey	Polarised Grey
952-A1-FS	Aluminium Black	Grey Flash Silver
952-A6-PGFS	Metallic White	Polarised Grey Flash Silver
952-BR-D2N	Metallic Brown	Ultra-light Brown to Grey ETS*

\*ETS - (Extreme Temperature Sensitive): the photochromic lenses respond to light conditions regardless of the ambient temperature.

## 953 STILETTO



CODE	FRAME	LENS
953-S1-PG	Shiny Black/White	Polarised Grey
953-A1-GY	Aluminium Black	Grey
953-A6-PGFS	Metallic White/Pink	Polarised Grey Flash Silver

## 954 JACKAROO



CODE	FRAME	LENS
954-A6-PGFS	Metallic White/Blue	Polarised Grey Flash Silver
954-A1-FS	Aluminium Black	Grey Flash Silver
954-BR-D2N	Metallic Brown	Ultra-light Brown to Grey ETS*
954-SMG-GY2GY	Metallic Grey	Light Grey to Blue Grey ETS*

\*ETS - (Extreme Temperature Sensitive): the photochromic lenses respond to light conditions regardless of the ambient temperature.

# 'TOUGH AS'

## 124 BENZ



CODE	FRAME	LENS
124-M1G-PG	Matt Black/Blue	Polarised Grey
124-S1W-FS	Shiny Black/White	Grey Flash Silver
124WF-M1-CLAF	Matt Black/Red w/foam	Clear Anti-Fog
124WF-M1-GYAF	Matt Black/Shiny Black w/foam	Grey Anti-Fog

## 150 BERCY



CODE	FRAME	LENS
150-S13-GY	Shiny Black/Red Aluminium	Grey
150-MS1-GY	Matt Black/Shiny Black	Grey
150-MW1-GY	Matt Black/Shiny White	Grey
150-MS1-PG	Matt Black/Shiny Black	Polarised Grey



**Medium Impact Certified to AS/NZS 1337.1** protecting the wearer from flying fragments travelling at a speed of at least 45 metres per second (163km/h).

**CAUTION:** Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.

# LENS COLOUR AND TINTS

## LOW-LIGHT LENS

A versatile impact resistant lens that performs in low-light environments. Ultra Light Grey and Ultra Light Brown are designed for reading digital and computer screens, headlights, lamp post and LED, protecting the eyes from damaging blue light, providing long term comfort to wearer in most work situations.



**Clear**  
Category: 0 | Light transmittance: 92%



**Clear Anti-Fog**  
Category: 0 | Light transmittance: 92%



**Ultra-Light Grey**  
Category: 0 | Light transmittance: 80%




**Ultra-Light Brown**  
Category: 0 | Light transmittance: 80%

## NON-POLARISED LENS TINT

Protection from strong sunlight, providing natural vision for extended wear - an extremely versatile sun lens for outdoor activities.



**Grey**  
Category: 3 | Light transmittance: 10%




**Brown**  
Category: 3 | Light transmittance: 10%




**Light Grey**  
Category: 1 | Light transmittance: 50%




**Light Brown Flash Silver**  
Category: 1 | Light transmittance: 50%



**Blue Grey**  
Category: 3 | Light transmittance: 10%




**Grey Anti-Fog**  
Category: 3 | Light transmittance: 10%




**Grey Flash Silver**  
Category: 3 | Light transmittance: 12%



**Brown Flash Gold**  
Category: 3 | Light transmittance: 12%




**Flash Blue**  
Category: 3 | Light transmittance: 12%



**REVO**  
Category: 3 | Light transmittance: 12%

## POLARISED LENS TINT


Polarised lenses have been adapted to improve performance in a wide variety of sports and recreational activities. Specific colour tints can be used to increase performance in extreme sunlight conditions.



**Polarised Grey**  
Category: 3 | Light transmittance: 14%



**Polarised Brown**  
Category: 3 | Light transmittance: 14%



**Polarised Grey Flash Silver**  
Category: 3 | Light transmittance: 13%




**Polarised Brown Flash Silver**  
Category: 3 | Light transmittance: 13%




**Polarised Grey Water Repellent**  
Category: 3 | Light transmittance: 14%




**Polarised Brown Water Repellent**  
Category: 3 | Light transmittance: 14%




**Polarised Grey Revo Black Mirror Water Repellent**  
Category: 3 | Light transmittance: 14%



**Polarised Revo Blue Water Repellent**  
Category: 3 | Light transmittance: 12%



**Polarised Grey Blue Anti-Reflective**  
Category: 3 | Light transmittance: 14%




**Polarised Grey Anti-Fog**  
Category: 3 | Light transmittance: 14%

## PHOTOCHROMIC LENS

Photochromic lenses seamlessly adjust to changing light conditions ensuring unhampered vision. \*ETS coating technology ensures lenses respond to light conditions regardless of the ambient temperature.



**Natural**  
Light Grey/Blue Grey ETS\*  
Category: 1-3 | Light transmittance: 70%-14%



**Everywear**  
Ultra-Light Brown/Grey ETS\*  
Category: 0-3 | Light transmittance: 80%-18%





Smart. Strong. Safe.



**SHAMIR OHS**  
Quality Management System



ONSITE SAFETY



Owned by

**SHAMIR**

# PROTECTING YOUR EYES EVERYWHERE AT ANYTIME

Versatile low cost Medium Impact eye protectors without compromising safety.  
A variety of styles to choose from in many lens tints to satisfy visual requirements.

**EYRES MEDIUM IMPACT SAFETY EYE PROTECTORS** offers the wearer a versatile and unique combination of better fit, comfort, maximum strength and clear vision, engineered to be worn in heavy industries, manufacturing, laboratory, mining and construction trades.

## 102 TERMINATOR



CODE	FRAME	LENS
102-OP-IO	Light Brown	Light Brown Flash Silver
102-OP-AM	Amber	Amber
102-OP-BG	Dark Blue	Blue Grey
102-OP-CL	Clear	Clear
102-OP-CLAF	Clear	Clear Anti-Fog
102-OP-LBG	Light Blue	Light Blue

## 109 ZIP



CODE	FRAME	LENS
109-OP-CLAF	Clear	Clear Anti-Fog
109-OP-GY	Crystal Smoke	Grey

## 120 DITTO



CODE	FRAME	LENS
120-M6-CLAF	Metallic Silver	Clear Anti-Fog
120-A1-GY	Aluminium Black	Grey
120-M8-GY2GY	Metallic Charcoal	Light Grey to Blue Grey ETS*
120-MB-D2N	Metallic Brown	Ultra-Light to Brown ETS*

\*ETS - (Extreme Temperature Sensitive): the photochromic lenses respond to light conditions regardless of the ambient temperature.

## 302 ACTIVE



CODE	FRAME	LENS
302-MT-CL	Silver Metal	Clear
302-MT-GY	Silver Metal	Grey
302-MT-IO	Silver Metal	Light Brown Flash Silver

## 307 COBRA



CODE	FRAME	LENS
307-M1-GY	Matt Black	Grey
307-M1-PG	Matt Black	Polarised Grey

## 311 ONSITE



CODE	FRAME	LENS
311-OP-CL	Clear	Clear

## 312 TF12



CODE	FRAME	LENS
312-OP-CL	Clear	Clear
312-OP-GY	Smoke	Grey

## 313 MINE



CODE	FRAME	LENS
313-OP-AM	Amber	Amber
313-OP-CLAF	Clear	Clear Anti-Fog
313-OP-GYAF	Smoke	Grey Anti-Fog
313-OP-IO	Light Brown	Light Brown Flash Silver

## 321 MEDIC



CODE	FRAME	LENS
321-CB-IO	Light Brown	Light Brown Flash Silver
321-CL-CL	Matt Clear	Clear
321-M8-GY	Matt Dark Grey	Grey

EYRES Medium Impact Safety Eye Protectors are certified by SAI Global covering standards AS/NZS 1337 (Eye and face protection for occupational applications). These versatile Eye Protectors have been impact tested at a speed of at least 45 metres per second (164km/h) to protect wearer eyes from flying fragments. EYRES Safety Eye Protectors block 99.9% of UV and glare.

**CAUTION:** Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.



# DUST PROTECTION

Dust Protection collection has been developed for extra comfort and protection against wind, dust, splash and flying particles. The positive foam seal also reduces perspiration across the eyes, giving you clearer vision.



## 130 COCKBURN



CODE	FRAME	LENS
130I-WF-DBCL	Red/Matt Black	Double Lens Clear

Accessories available: •Interchangeable lens shield  
•RX Insert. (Sold separately)

## 310 ODDIE



CODE	FRAME	LENS
310-M1-CLAF	Matt Black	Clear Anti-Fog
310-M1-GY	Matt Black	Grey
310-M1-IO	Matt Black	Light Brown Flash Silver

Accessories available: •Interchangeable lens shield.  
•Interchangeable arms temple for normal sunglass fitting.  
(Sold separately)



## 315 CLASSIC G



CODE	FRAME	LENS
315-MS-GYAF	Matt Smoke	Grey Anti-Fog
315-LB-CLAF	Light Blue	Clear Anti-Fog
315WF-LB-CLAF	Light Blue	Clear Anti-Fog

Accessories available: •Interchangeable lens shield.  
(Sold separately)

## 709 EYEQASR



CODE	FRAME	LENS
709F-WF-DBCL	Grey/Red	Thermal Double Lens Clear
709-WF-CLAF	Grey/Yellow	Clear Anti-Fog
709-NF-CLAF	Grey/Black	Clear Anti-Fog

Accessories available: •Interchangeable lens shield  
•RX Insert. (Sold separately)

## 124WF BENZ



CODE	FRAME	LENS
124WF-M1-CLAF	Matt Black/Red w/foam	Clear Anti-Fog
124WF-M1-GYAF	Matt Black/Shiny Black w/foam	Grey Anti-Fog

## 281WF BYRON



CODE	FRAME	LENS
281WF-M2-CLAF	Matt Grey	Clear Anti-fog
281WF-M2-GYAF	Matt Grey	Grey Anti-fog

## 702WF RAZOR EDGE



CODE	FRAME	LENS
702WF-C1-GYAF	Crystal Black w/foam	Grey Anti-Fog
702WF-C1-PGAF	Crystal Black w/foam	Polarised Grey Anti-Fog
702WF-C1-IOAF	Crystal Black w/foam	Light Brown Anti-Fog
702WF-R4-CLAF	Royal Blue w/foam	Clear Anti-Fog

EYRES Dust Protection and Goggle range are Medium Impact, certified by SAI Global covering standards AS/NZS 1337 (Eye and face protection for occupational applications). Impact tested at a speed of at least 45 metres per second (164km/h) to protect wearer eyes from flying fragments. EYRES Safety Eye Protectors block 99.9% of UV and glare.

**CAUTION:** Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.

# MAGNIFYING READERS

These magnifiers are manufactured to our strict quality assurance guidelines and are tested in-house using our proprietary quality control system. Shamir OHS, ensure they comply with the optical requirements of Australian Standard AS21987 and meet the medium impact resistance and transmittance requirements when tested to AS1337.1 2010 Personal Eye Protection.

**EYRES is the first company to have a bifocal reader certified to meet these requirements under SAI Global License number PPE40002.**

For more information please check the SAI Global website at <http://register.saiglobal.com/client/schedule.aspx?setID=SF01&custID=AS382842&appCertNo=PPE40002> and search database for our licence number PPE40002.

## 103RX MAGNIFIQ



CODE	FRAME	LENS
103RX-OP-CL +1.50	Clear	Reader Clear +1.50
103RX-OP-CL +2.00	Clear	Reader Clear +2.00
103RX-OP-CL +2.50	Clear	Reader Clear +2.50



CODE	FRAME	LENS
103RX-OP-GY +1.50	Grey	Reader Grey +1.50
103RX-OP-GY +2.00	Grey	Reader Grey +2.00
103RX-OP-GY +2.50	Grey	Reader Grey +2.50

## 312RX READERS



CODE	FRAME	LENS
312RX-OP-CL +1.00	Clear	Reader Clear +1.00
312RX-OP-CL +1.50	Clear	Reader Clear +1.50
312RX-OP-CL +2.00	Clear	Reader Clear +2.00
312RX-OP-CL +2.50	Clear	Reader Clear +2.50
312RX-OP-CL +3.00	Clear	Reader Clear +3.00



CODE	FRAME	LENS
312RX-OP-LB +1.00	Light Blue	Reader Light Blue +1.00
312RX-OP-LB +1.50	Light Blue	Reader Light Blue +1.50
312RX-OP-LB +2.00	Light Blue	Reader Light Blue +2.00
312RX-OP-LB +2.50	Light Blue	Reader Light Blue +2.50
312RX-OP-LB +3.00	Light Blue	Reader Light Blue +3.00

## 629RX DEFINE



CODE	FRAME	LENS
629RX-S1-PG +1.5	Shiny Black	Polarised Reader Grey +1.50
629RX-S1-PG +2.0	Shiny Black	Polarised Reader Grey +2.00
629RX-S1-PG +2.5	Shiny Black	Polarised Reader Grey +2.50

\*These safety glasses feature lenses with bifocal moulded directly in the lens. Now you can read in a hazardous environment without having to remove your safety glasses. All bifocal lenses are polycarbonate and provide 99% UV protection.



# WELDING INFRARED LENS TECHNOLOGY

This protective eyewear is ideal for use in certain welding operations such as torch soldering, brazing and cutting.



## 102 TERMINATOR



CODE	FRAME	LENS
102-OP-IR3	Green	Infrared Shade 3

Eyes Infrared Shade 3 lens comply to the Shamir OHS Quality Management System absorbers for the undesirable wavelengths and intensity of UV, Visible and IR light experienced when soldering, brazing, cutting or welding.

## 313 CLASSIC G



CODE	FRAME	LENS
313R-OP-IR5	Dark Green	Infrared Shade 5*

4- Ratchet inclinations and 4-stop adjustable temples ensure a custom fit.  
\*Infrared Shade 5 spectacles are not covered by any current Australian Standard.

## 315 CLASSIC G



CODE	FRAME	LENS
315-M1-IR5AF	Matt Black	Infrared Shade 5*

\*Infrared Shade 5 spectacles are not covered by any current Australian Standard.

**CAUTION:** Welding Infrared Protective Eyewear Shade 3 and 5 should be used only for welding applications. Not suitable to be used as a sunglass or for driving; they reduce levels of light transmittance and distort colours of traffic light signals. Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.



**SHAMIR OHS**  
Quality Management System




# NEW ARRIVALS

**MEET THE LATEST INNOVATIVE ADDITIONS.** After extensive research and in conjunction with the wearer the first ever Polarised Bifocal eye protector in Australia along with an innovative Mesh lens eye protector,



## 281 BYRON

CODE	FRAME	LENS
281WF-M2-MESH	Matt Grey	Stainless Steel Wire Mesh
281WF-M2-CLAF	Matt Grey	Clear Anti-fog
281WF-M2-GYAF	Matt Grey	Grey Anti-fog



EYRES Medium Impact Safety Eye Protectors are certified by SAI Global covering standards AS/NZS 1337 (Eye and face protection for occupational applications). These versatile Eye Protectors have been impact tested at least 45 metres per second (164km/h) to protect wearer eyes from flying fragments at speed. EYRES Safety Eye Protectors block 99.9% of UV and glare.


**CAUTION:** Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.

demands, EYRES creative team has developed covering standards AS/NZS 1337.



# 629 DEFINE

CODE	FRAME	LENS
629RX-S1-PG +1.5	Shiny Black	Polarised Reader Grey +1.50
629RX-S1-PG +2.0	Shiny Black	Polarised Reader Grey +2.00
629RX-S1-PG +2.5	Shiny Black	Polarised Reader Grey +2.50



These magnifiers are manufactured to our strict quality assurance guidelines and are tested in-house using our proprietary quality control system, Shamir OHS, to ensure they comply with the optical requirements of Australian Standard AS21987 and meet the medium impact resistance and transmittance requirements when tested to AS1337.1 2010 Personal Eye Protection. EYRES is the first company to have a bifocal reader certified to meet these requirements under SAI Global License number PPE40002.

For more information please check the SAI Global website at <http://saiglobal.com/product-certification/?id=1> and search database for our licence number PPE40002.

\*These safety glasses feature lenses with bifocals moulded directly in the lens. Now you can read in hazardous environment without having to remove your safety glasses. All bifocals lenses are polycarbonate and provide 99% UV protection.







Smart. Strong. Safe.



Certified Product



Australian  
Standard

AS/NZS1337.6:2012  
Lic. 21598  
SAI GLOBAL



**SHAMIR OHS**  
Quality Management System



Like all prescription eyewear, safety glasses are customised to individual requirements. The Shamir lens range provides versatility to ensure the correct lens for the right purpose.

The wearer's prescription and working environment ultimately determines the correct lens choice as advised in conjunction with the Optometrist.

## SHAMIR DIGITAL FREE-FORM

### Better vision right to the edge in EYRES wrapped eyewear

Exclusive lens technology designed to provide the wearer with distortion free lenses when fitted into a wrapped frame. Other companies may use conventional manufactured lenses that can create distortions on the edge of the lens, which causes a significant reduction and narrowing to the wearer's vision field.

Shamir Digital Free-form lenses provide accurate clear vision across the entire surface of the lens; meaning there is no compromise in vision no matter the visual task.

## LENSES OFFERING OPTIMUM PERFORMANCE CHARACTERISTICS FOR WHATEVER LIFE BRINGS

### SHAMIR SAFETY CLEAR LENS

Clear

Category: 0  
Light transmittance: 98%

**Shamir Safety Clear Lens** is a unique impact resistant, scientifically advanced category of lens material developed to perform in all aspects of life, specifically in high impact or chemical environments.



### SHAMIR SAFETY NEUTRAL LENS

Grey

Category: 3  
Light transmittance: 15%

**Shamir Safety Neutral Lens** protects from strong sunlight, providing natural vision for extended wear. Neutral is an extremely versatile sun lens for any occasion.



### SHAMIR SAFETY POLARISED GREY LENS

Grey

Category: 3  
Light transmittance: 14%

**Shamir Safety Polarised Lens** is designed to provide protection against reflective glare. The polarised grey tint allows for colour to be viewed naturally, whilst reducing glare and strong light.



### SHAMIR SAFETY NATURAL LENS

Light Grey to Blue Grey

Category: 1-3  
Light transmittance: 75-15%

**Shamir Safety Natural Lens** has photochromic lens adjust colour and tint as light conditions change, performs well for a broad range of activities from low light to overcast conditions.



### SHAMIR SAFETY EVERYWEAR LENS

Ultra Light Brown to Grey

Category: 0-3  
Light transmittance: 75-33%

**Shamir Safety Everywear Lens** features a wide visual light transmission range and fast photochromic reaction time (sub 1 minute). Recommended for indoor and outdoor use, Everywear may be worn continuously throughout the day without causing eyestrain.




### SHAMIR SAFETY TRANSITIONS® LENS

Clear to Grey

Category: 0-3  
Light transmittance: 98-15%

**Shamir Safety Transitions® Lens** provides the complete package of optical quality, light-weight comfort, strength and protection. Transitions® features fast transmission reaction times for everyday living.



# NEW COMBINATION OF EXPERTISE

Unsurpassed combination of the most advanced technology in lens design from **SHAMIR**, with tough, durable and stylish frames from **EYRES**, to bring the perfect solution in prescription eye protection.

## MAXIMUM EYE PROTECTION

EYRES offer an extensive range of optical eyewear to protect your eyes and optimise your vision, using the latest technology in frame and lens certified packages for the most demanding situations, ensuring optimum comfort fit and vision.



### 123 BANG BANG



CODE	FRAME COLOUR	FRAME SIZE	DBL
123RX-M8-DL	Metallic Grey	60/37	19

Ratchet side for optical adjustment.

### 170 OPTIX



CODE	FRAME COLOUR	FRAME SIZE	DBL
170-MT-DL	Metallic Grey	63/37	16

Stainless steel material.

### 172 OPTIX



CODE	FRAME COLOUR	FRAME SIZE	DBL
172-MT-DL52	Metallic Copper	52/35	19
172-MT-DL54	Metallic Copper	54/35	19
172-MT-DL56	Metallic Copper	56/35	19

Stainless steel material.

### 181 OPTIX



CODE	FRAME COLOUR	FRAME SIZE	DBL
181-MT-DL52	Metallic Silver	52/35	19
181-MT-DL54	Metallic Silver	54/35	19

Stainless steel material.

### 308 FOREMAN



CODE	FRAME COLOUR	FRAME SIZE	DBL
308-CS-DL	Crystal Smoke	62/35	20
308-S1-DL	Shiny Black	62/35	20

Interchangeable tinted and untinted shields sold separately.

### 318 GLOBAL



CODE	FRAME COLOUR	FRAME SIZE	DBL
318-CZ-DL	Crystal Zebra	54/37	20
318-C7-DL	Tortoiseshell	54/37	20

Shell front, metal temples.

### 319 OZ



CODE	FRAME COLOUR	FRAME SIZE	DBL
319-C7-DL	Tortoiseshell	56/36	19
319-CZ-DL	Crystal Zebra	56/36	19

Shell front, metal temples.

### 320 CLEARVIEW



CODE	FRAME COLOUR	FRAME SIZE	DBL
320-CL-DL	Clear	55/35	17

No metal parts, plastic hinges.

### 605 BLOCKBUSTA



CODE	FRAME COLOUR	FRAME SIZE	DBL
605M-CS-DL	Crystal Smoke	54/34	15
605L-CS-DL	Crystal Smoke	58/37	16

Interchangeable strap included.

### 624 PLASMA EVO 2



CODE	FRAME COLOUR	FRAME SIZE	DBL
624-D1-DL	Demi Black	63/37	14

Shorter arms for better fit in head wear or ear muffs.

### 628RX INDULGE



CODE	FRAME COLOUR	FRAME SIZE	DBL
628RX-S1-DL	Shiny Black	58/36	15
628RX-SMG-DL	Shiny Metallic Grey	58/36	15

### 702RX RAZOR EVO 2



CODE	FRAME COLOUR	FRAME SIZE	DBL
702RX-C1-DL	Crystal Black	63/36	18



## 702RXWF RAZOR EDGE



CODE	FRAME COLOUR	FRAME SIZE	DBL
702RXWF-CD1-DL	Shiny Black w/foam	63/36	18

Permanent closed padded seal foam to block sweat and hazardous particles.

## 703A YARR



CODE	FRAME COLOUR	FRAME SIZE	DBL
703A-C1-DL	Crystal Black	75/41.5	15

Limited prescription range, single vision only.

## 708 RAZOR RX



CODE	FRAME COLOUR	FRAME SIZE	DBL
708-C8-DL	Crystal Charcoal	60/37	15
708-CS-DL	Crystal Smoke	60/37	15

Interchangeable tinted and untinted shields sold separately.

## 803RX TRANSFORMER



CODE	FRAME COLOUR	FRAME SIZE	DBL
803RX-GM-DL	Gun Metal	59/34	19
803RX-C1-DL	Crystal Black	59/34	19

Detachable face foam and interchangeable strap available to create low profile goggle.

## 950RX GULLWING



CODE	FRAME COLOUR	FRAME SIZE	DBL
950RX-M1-6B	Matt Black	56/36	20
950RX-M1-8B	Matt Black	58/36	20
950RX-M1-RIMMELESS	Matt Black	75/36	15

## 953RX STILETTO ALIENSKIN



CODE	FRAME COLOUR	FRAME SIZE	DBL
953-S1-DL	Shiny Black/White	58/45	16

Double injection frames developed with sport lovers and workforce in mind.

**Medium Impact Certified to AS/NZS1337.6** impact tested at a speed up to 45 metres per second (163km/h). **CAUTION:** Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.

### DUST PROTECTION RX INSERT

## 130 COCKBURN



CODE	FRAME COLOUR	FRAME MATERIAL
130I-WF-DBCL	Matt Black	Polycarbonate
130RX-INSERT**	Black	Polycarbonate

Interchangeable lens shields sold separately.

\*\*RX INSERT FRAME SIZE: 60/40 DBL: 19

## 310 ODDIE



CODE	FRAME COLOUR	FRAME MATERIAL
310-M1-CLAF	Matt Black	Polycarbonate
310-M1-GY	Matt Black	Polycarbonate
310-M1-WB50FS	Matt Black	Polycarbonate
310-RXINSERT**	Crystal Clear	Polycarbonate

Protective foam included. Optional arms available for standard fitting.

\*\*RX INSERT FRAME SIZE: 44/32 DBL: 27

## 709 EYEQSR



CODE	FRAME COLOUR	FRAME MATERIAL
709F-WF-DBCL	Grey/Red	Polycarbonate
709-NF-CLAF	Grey/Black	Polycarbonate
709-RXINSERT**	Crystal Clear	Polycarbonate

Interchangeable lens shields sold separately.

\*\*RX INSERT FRAME SIZE: 46/33 DBL: 32

**Medium Impact Certified to AS/NZS 1337.1** are designed to protect the wearer from flying fragments travelling at a speed of at least 45 metres per second (163km/h). Developed to be worn in all workplaces and sport activities that can generate foreign bodies travelling at high speed, especially on-the-job where are plenty of potential risk.

**CAUTION:** Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.

### FLOATING RX

## 717S MISTRAL



CODE	FRAME COLOUR	FRAME SIZE	DBL
717SRX-C1-DL	Crystal Black	64/38	19

## 727S TITANIC



CODE	FRAME COLOUR	FRAME SIZE	DBL
727RX-C7-DL	Crystal Tortoise Shell	61/37.5	19
727RX-SPW-DL	Shiny Pearl White	61/37.5	19
727RX-SP1-DL	Shiny Pearl Black	61/37.5	19

These water and impact resistant have been impact tested to protect you from flying fragments travelling at a speed of at least 12 metres per second (45km/h). EYRES eye protectors block 99.9% of UV and glare.

**CAUTION:** Any alteration to this eyewear, including the use of heating apparatus to insert a lens invalidates any guarantee of the eye protector.





## LENS CLEANING



### EYRES DISPENSER 500 LENS WIPES

Code No: 000923

Quantity: 500

Lens cleaning tissues specifically formulated for EYRES lens coatings providing durability and protection.



### ANTI-FOG LENS CLEANER 60ml

Code No: AF60ML

EYRES pocket sized lens cleaner spray to help keep your lenses fog-free and provide you with visual clarity.



### EYRES FOG-FREE CLOTH

Code No: FOG-FREE CLOTH

EYRES Fog-Free Cloth prevents fogging and condensation on glass and plastics by minimising surface tension so water vapour does not adhere.

## STRAPS



### SPEC CORD

Code No: 000820

EYRES spec cord is a versatile strap which can be fitted to any of our frames for secure fit.



### SILICONE STRAP

Code No: SILICONESTRAP-SMALL-BLACK

SILICONESTRAP-SMALL-WHITE

Silicone Strap fit onto any pair of your EYRES frames! The Silicone Strap is perfect for all action sports as it keeps your frame firmly fixed to your head.

The strap is 22cm in length.

## CASES



### EMBOSSED HARD CASE

Code No: HARDCASE

EYRES embossed hard case to keep your lenses protected.



### RX SEMI-HARD CASE

Code No: 000740

EYRES prescription hard case to keep your lenses protected.



### SOFT CASE

Code No: 000920

EYRES soft cloth case, ideal for protecting the lenses from scratching.

## HEADLIGHT



### LIGHTNING BUG

Code No: 000926

Lightning Bug clip onto spectacles to provide a hassle free way of seeing in the dark!

# LENS SHIELDS



130 COCKBURN  
REPLACEMENT SHIELDS

- 130LNS-DBCL - Double Clear Anti-fog
- 130LNS-GYAF - Dark Grey Anti-fog
- 130LNS-IOAF - Light Brown Anti-fog
- 130LNS-IR5AF - Infrared Shade 5 Anti-fog

Replaceable lenses are available for adaption to different work or play environment. All lenses come with anti-fog and anti-scratch coating on both sides to extend the life of the lens.



308 FOREMAN  
INTERCHANGEABLE SHIELDS

- 308LNS-AM - Amber
- 308LNS-CL - Clear
- 308LNS-GY - Dark Grey
- 308LNS-IO - Light Brown
- 308LNS-PG - Polarised Grey

Interchangeable shields in a range of tints to protect your eyes from different light conditions and shield the lens front coat for an extended durability.



315 CLASSIC G  
REPLACEMENT SHIELDS

- 315LNS-GYAF - Dark Grey Anti-fog
- 315LNS-CLAF - Clear Anti-fog
- 315LNS-IOAF - Light Brown Anti-fog
- 315LNS-IR5AF - Infrared Shade 5 Anti-fog

Replaceable lenses available in a range of tints need for day-to-day use. All lenses come with anti-fog coating.



707 GOGGLE  
REPLACEMENT SHIELDS

- 707LNS-IOAF - Light Brown Anti-fog
- 707LNS-AMAF - Amber Anti-fog
- 707LNS-CLAF - Clear Anti-fog
- 707LNS-FSAF - Grey Flash Silver Anti-fog
- 707LNS-LBFSAF - Light Blue Flash Silver Anti-fog
- 707LNS-PGAF - Polarised Grey Anti-fog
- 707LNS-GYAF - Dark Grey Anti-fog

Replaceable lenses are available for adaption to different work or play environment. All lenses come with anti-fog coating.



708 RAZOR RX  
INTERCHANGEABLE SHIELDS

- 708LNS-PG - Polarised Grey
- 708LNS-AM - Amber
- 708LNS-CL - Clear
- 708LNS-GY - Smoke
- 708LNS-IO - Light Brown

Interchangeable shields in a range of tints to protect your eyes from different light conditions and shield the lens front coat for an extended durability.



709 EYEQASR  
REPLACEMENT SHIELDS

- 709LNS-DBGY - Double Grey Anti-fog
- 709LNS-AMAF - Amber Anti-fog
- 709LNS-CLAF - Clear Anti-fog
- 709LNS-DBGY - Double Grey Anti-fog
- 709LNS-DBCL - Double Clear Anti-fog
- 709LNS-IOAF - Light Brown Anti-fog

Replaceable lenses are available for adaption to different work or play environment. All lenses come with anti-fog and anti-scratch coating on both sides to extend the life of the lens.

## NOSE CLIPS FOR INTERCHANGEABLE SHIELDS



308 FOREMAN NOSE CLIP

- Code No: 308-NOSECLIP-BLK
- 308-NOSECLIP-GRY

308 Foreman replaceable nose clips in Black or Grey colour for a secure fitting of protective shield.



708 RAZOR RX NOSE CLIP

- Code No: 708-NOSECLIP-BLK
- 708-NOSECLIP-GRY

708 Razor RX replaceable nose clips in Black or Grey colour for a secure fitting of protective shield.

## NOSE BRIDGE



### 308 FOREMAN REPLACEABLE NOSE BRIDGE

Code No: 308-NOSEBRIDGE-BLK

308 FOREMAN nose bridge features anti-slip pads and adjustable bridge for a secure and comfortable fitting.



### 708 RAZOR RX REPLACEABLE NOSE BRIDGE

Code No: 708-NOSEBRIDGE-BLK

708-NOSEBRIDGE-GRY

Features adjustable positions and anti-slip material for secure and comfort fit.

## STRAPS



### 310 ODDIE REPLACEABLE STRAP

Code No: 310-STRAP

Replaceable black strap for a secure fit compatible only with 310 ODDIE -dust eye protector.



### 605 BLOCKBUSTA STRAP

Code No: 605L-STRAP

605M-STRAP

A versatile way to secure your specs!  
Black adjustable strap available in large or medium size for the 605 BLOCKBUSTA.

## ARMS REPLACEMENTS AND INTERCHANGEABLE



### 310 ODDIE INTERCHANGEABLE ARMS

Code No: 310-M1-ARM

Interchangeable arms compatible only with 310 ODDIE dust eye protector.



### 605 BLOCKBUSTA REPLACEABLE ARM EXTENSION

Code No: 605L-ARMEXTENTION

605M-ARMEXTENTION

Replaceable arms extension, compatible only with 605 BLOCKBUSTA eye protector.



### 605 BLOCKBUSTA REPLACEABLE HINGE

Code No: 605L-HINGE

605M-HINGE

Replaceable hinge, compatible only with 605 BLOCKBUSTA eye protector.



### 605 BLOCKBUSTA REPLACEABLE RUBBER TEMPLE

Code No: 605-ARMPIECE

605 BLOCKBUSTA replaceable rubber arm temple.



## POSITIVE SEAL



310 ODDIE  
REPLACEABLE POSITIVE SEAL

Code No: 310-FOAM

Replaceable black non-allergenic positive seal.  
Compatible only with 310 ODDIE -dust  
eye protector.



803RX TRANSFORMER  
INTERCHANGEABLE POSITIVE SEAL

Code No: 803RX-FOAM

Interchangeable black non-allergenic positive seal.  
Compatible only with 803RX TRANSFORMER.

## RX INSERTS



130 COCKBURN RX INSERT

Code No: 130RX-INSERT

Prescription insert compatible with  
130 COCKBURN -dust eye protector.



310 ODDIE RX INSERT

Code No: 310RX-INSERT

Prescription insert compatible with  
310 ODDIE -dust eye protector.



707 GOGGLE RX INSERT

Code No: 707RX-INSERT


Prescription insert compatible with  
707 GOGGLE -dust eye protector.



709 EYEQASR RX INSERT

Code No: 709RX-INSERT

Prescription insert compatible with  
709 EYEQASR -dust eye protector.



Smart. Strong. Safe.

**THANK YOU FOR YOUR INTEREST  
IN OUR EYRES CERTIFIED LENS AND FRAME PACKAGE**

✉ customerservice@shamirohs.com.au or visit  [www.anamorphixx.com](http://www.anamorphixx.com)

📍 33 Kensington Street, East Perth, WA, 6004 Australia  1300 663 209  +61 8 9325 2444

All our frame and lens certified prescription packages are powered by Shamir lens technology. Hard Coat is a default coating, for optional performance coatings contact your nearest Sales Representative or call/email customer service for more information.

**WARRANTY:** Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.



**SHAMIR OHS**  
Quality Management System

